

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	385305	(three adj dimensional\$1) or ("3" adj dimaltonal\$1) or ("3" adj D)	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L2	67261	ultrasound	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L3	1748539	volume\$5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L4	7849	L2 same L3	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L5	1394994	imag\$5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L6	5866	L4 L5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L7	3202	l1 L6	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:26
L8	820171	beam	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:28
L9	1818	l7 l8	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:28
L10	3833	L4 same L5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:35
L11	3833	L4 same L5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 08:37
L12	5866	L4 L5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/29 09:19
S1	1	"10596121"	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/23 16:06

S2	2071	600/437.ccls.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/23 16:06
S3	2	("0000000"   "5305756"   "6503199").PN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 08:15
S4	16	((XIANG-NING) near2 (LI)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/24 08:21
S5	67110	ultrasound	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:12
S6	1746615	volume\$5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:12
S7	36402	S5 S6	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:12
S8	7834	S5 same S6	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:13
S9	1392945	imag\$5	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:13
S11	3824	S8 same S9	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:13
S12	57027	divergence	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:15
S13	131	S11 S12	US-PGPUB; USPAT; USOCR	AND	OFF	2008/12/24 09:15

12/29/2008 9:58:48 AM

C:\Documents and Settings\hnguyen55\My Documents\EAST\Workspaces\volumetric  
ultrasound imaging system using two-dimensional array transducer.wsp